Mathematical Programming 59 (1993) 421–422
North-Holland

Author Index Volume 59

Adams, W.P. and H.D. Sherali, Mixed-integer bilinear programming problems (3) 279–305
Bean, J.C. and R.L. Smith, Conditions for the discovery of solution horizons (2) 215–229
Bienstock, D., M.X. Goemans, D. Simchi-Levi and D. Williamson, A note on the prize collecting traveling salesman problem (3) 413–420
Chopra, S. and M.R. Rao, The partition problem (1) 87–115
Dang, C., The D_2-triangulation for simplicial homotopy algorithms for computing solutions of nonlinear equations (3) 307–324
Dempe, S., Directional differentiability of optimal solutions under Slater's condition (1) 49– 69
Goemans, M.X., *see* D. Bienstock (3) 413–420
Gritzmann, P. and V. Klee, Computational complexity of inner and outer *j*-radii of polytopes in finite-dimensional normed spaces (2) 163–213
Güler, O., *see* Y. Ye (2) 151–162
Hearn, D.W., *see* J.A. Ventura (1) 71– 85
Iusem, A.N., On the convergence of iterative methods for symmetric linear complementarity problems (1) 33– 48
Jeyakumar, V. and X.Q. Yang, Convex composite multi-objective nonsmooth programming (3) 325–343
Klee, V., *see* P. Gritzmann (2) 163–213
Kojima, M., N. Megiddo and S. Mizuno, Theoretical convergence of large-step primal–dual interior point algorithms for linear programming (1) 1– 21
Kojima, M., S. Mizuno and A. Yoshise, A little theorem of the big $\mathcal{M}$ in interior point algorithms (3) 361–375
Megiddo, N., *see* M. Kojima (1) 1– 21
Mizuno, S., R. Saigal and J.B. Orlin, Determination of optimal vertices from feasible solutions in unimodular linear programming (1) 23– 31
Mizuno, S., *see* M. Kojima (1) 1– 21
Mizuno, S., *see* M. Kojima (3) 361–375
Murota, K., Hierarchical decomposition of symmetric discrete systems by matroid and group theories (3) 377–404
Nowak, A.S. and T.E.S. Raghavan, A finite step algorithm via a bimatrix game to a single controller non-zero sum stochastic game (2) 249–259
Orlin, J.B., *see* S. Mizuno (1) 23– 31
Panier, E.R. and A.L. Tits, On combining feasibility, descent and superlinear convergence in inequality constrained optimization (2) 261–276
Raghavan, T.E.S., *see* A.S. Nowak (2) 249–259
Rao, M.R., *see* S. Chopra (1) 87–115
Saigal, R., *see* S. Mizuno (1) 23– 31
Sherali, H.D., *see* W.P. Adams (3) 279–305
Simchi-Levi, D., *see* D. Bienstock (3) 413–420
Smith, R.L., *see* J.C. Bean (2) 215–229
Tamir, A., A strongly polynomial algorithm for minimum convex separable quadratic cost flow problems on two-terminal series–parallel networks (1) 117–132

Tapia, R.A., *see* Y. Ye (2) 151–162
Tits, A.L., *see* E.R. Panier (2) 261–276
Todd, M.J., Combining phase I and phase II in a potential reduction algorithm for linear programming (2) 133–150
Tone, K., An active-set strategy in an interior point method for linear programming (3) 345–360
Tseng, P., Dual coordinate ascent methods for non-strictly convex minimization (2) 231–247
Uko, L.U., Remarks on the generalized Newton method (3) 405–412
Ventura, J.A. and D.W. Hearn, Restricted simplicial decomposition for convex constrained problems (1) 71– 85
Williamson, D., *see* D. Bienstock (3) 413–420
Yang, X.Q., *see* V. Jeyakumar (3) 325–343
Ye, Y., O. Güler, R.A. Tapia and Y. Zhang, A. quadratically convergent $O(\sqrt{n}\,L)$-iteration algorithm for linear programming (2) 151–162
Yoshise, A., *see* M. Kojima (3) 361–375
Zhang, Y., *see* Y. Ye (2) 151–162